

'O' RING FLUID COMPATIBILITY GUIDE - C's

CHEMICAL/ MEDIA	PERFLUORO - ELASTOMER	VITON [®] ETP	AFLAS [®] TFE/P	VITON [®] FKM	EPDM P.C.	BUNA-N NBR	SILICONE	FLUORO- SILICONE
Cadmium	1	-	-	-	-	-	-	-
Cadmium Cyanide	1	1	1	1	1	1	-	-
Cadmium Nitrate	1	-	-	-	-	-	-	-
Cadmium Oxide	1	-	-	-	-	-	-	-
Cadmium Sulfate	1	-	-	-	-	-	-	-
Cadmium Sulfide	1	-	-	-	-	-	-	-
Calcine Liquors	1	1	1	1	1	1	-	1
Calcium Nitrate	1	1	1	1	1	1	2	1
Calcium Acetate	1	4	1	4	1	2	4	4
Calcium Arsenate	1	1	1	1	1	1	-	-
Calcium Bisulfite	1	1	1	1	4	1	3	3
Calcium Bromide	1	-	-	-	-	-	-	-

GUIDE ONLY

1 - recommended 2 - probably satisfactory 3 - marginal 4 - not recommended

'O' RING FLUID COMPATIBILITY GUIDE - C's

CHEMICAL/ MEDIA	PERFLUORO - ELASTOMER	VITON [®] ETP	AFLAS [®] TFE/P	VITON [®] FKM	EPDM P.C.	BUNA-N NBR	SILICONE	FLUORO- SILICONE
Calcium Carbide	1	-	-	-	-	-	-	-
Calcium Carbonate	1	1	1	1	1	1	1	1
Calcium Chlorate	1	-	-	-	-	-	-	-
Calcium Chloride	1	1	1	1	1	1	1	1
Calcium Chromate	1	-	-	-	-	-	-	-
Calcium Cyanamide	1	-	-	-	-	-	-	-
Calcium Cyanide	1	1	1	1	1	1	1	-
Calcium Fluoride	1	-	-	-	-	-	-	-
Calcium Gluconate	1	-	-	-	-	-	-	-
Calcium Hydride	1	-	-	-	-	-	-	-
Calcium Hydrogen Sulfite	1	1	1	1	4	4	1	1
Calcium Hydrosulfide	1	-	-	-	-	-	-	-

GUIDE ONLY

1 - recommended 2 - probably satisfactory 3 - marginal 4 - not recommended

'O' RING FLUID COMPATIBILITY GUIDE - C's

CHEMICAL/ MEDIA	PERFLUORO - ELASTOMER	VITON [®] ETP	AFLAS [®] TFE/P	VITON [®] FKM	EPDM P.C.	BUNA-N NBR	SILICONE	FLUORO- SILICONE
Calcium Hydroxide	1	1	1	1	1	1	1	1
Calcium Hypochlorite	1	1	1	1	1	2	2	2
Calcium Hypophosphite	1	-	-	-	-	-	-	-
Calcium Nitrate	1	1	1	1	1	1	2	1
Calcium Oxalate	1	-	-	-	-	-	-	-
Calcium Oxide	1	-	-	-	-	-	-	-
Calcium Permanganate	1	-	-	-	-	-	-	-
Calcium Peroxide	1	-	-	-	-	-	-	-
Calcium Phosphate, Monobasic	1	1	1	1	1	1	1	-

GUIDE ONLY

1 - recommended 2 - probably satisfactory 3 - marginal 4 - not recommended