

'O' RING FLUID COMPATIBILITY GUIDE - O's

CHEMICAL/ MEDIA	PERFLUORO - ELASTOMER	VITON [®] ETP	AFLAS [®] TFE/P	VITON [®] FKM	EPDM P.C.	BUNA-N NBR	SILICONE	FLUORO- SILICONE
o-Chlorophenol	1	1	–	1	4	4	4	2
o-Dichlorobenzene	1	1	4	1	4	4	4	2
o-Nitrotoluene	1	–	–	–	–	–	–	–
o-sec-Amylphenol	1	–	–	–	–	–	–	–
Octachloro Toluene	1	1	–	1	4	4	4	2
Octafluorocyclobutane	2	2	–	2	1	–	–	–
Octafluoropropane	2	–	–	–	–	–	–	–
Octanal	1	–	–	–	–	–	–	–
Olefins	1	–	–	–	–	–	–	–
Oleic Acid	1	2	1	2	4	3	4	–
Oleum (Fuming Sulfuric Acid)	1	1	1	1	4	3	4	2
Oleyl Alcohol	1	–	–	–	–	–	–	–
Olive Oil	1	1	1	1	2	1	3	1

GUIDE ONLY

1 - recommended 2 - probably satisfactory 3 - marginal 4 - not recommended



DIRECT GASKETS LIMITED
 UNITS 26 - 36
 DANSOM LANE SOUTH
 HULL
 HU8 7LA



TELEPHONE: 01482 219655 EMAIL: info@direct-gaskets.co.uk
 FAX: 01482 321162 WEBSITE: www.direct-gaskets.co.uk

'O' RING FLUID COMPATIBILITY GUIDE - O's

CHEMICAL/ MEDIA	PERFLUORO - ELASTOMER	VITON® ETP	AFLAS® TFE/P	VITON® FKM	EPDM P.C.	BUNA-N NBR	SILICONE	FLUORO- SILICONE
Orthochloro Ethyl Benzene	1	1	4	1	4	4	4	2
Oxalic Acid	1	1	1	1	1	2	2	1
Oxygen, Gas (Hot)	1	3	4	3	4	4	2	1
Oxygen, Liquid	2	4	4	4	4	4	-	-
Ozonated Deionized Water	1	2	-	1	2	-	-	-
Ozone	1	1	1	1	1	4	1	1

GUIDE ONLY

1 - recommended 2 - probably satisfactory 3 - marginal 4 - not recommended