

'O' RING FLUID COMPATIBILITY GUIDE - V's

CHEMICAL/ MEDIA	PERFLUORO - ELASTOMER	VITON [®] ETP	AFLAS [®] TFE/P	VITON [®] FKM	EPDM P.C.	BUNA-N NBR	SILICONE	FLUORO- SILICONE
Valeric Acid	1	-	-	-	-	-	-	-
Vanadium Pentoxide	1	-	-	-	-	-	-	-
Varnish	1	1	2	1	4	2	4	2
Vegetable Oils	1	1	1	1	3	1	1	1
VERSILUBE F44,F50 & F55	1	1	1	1	1	1	3	1
Vinegar	1	1	-	2	1	2	3	3
Vinyl Acetate	1	4	4	4	2	4	-	-
Vinyl Alcohol (Ethanol)	-	-	-	-	-	-	-	-
Vinyl Chloride (VC)	1	1	-	1	4	4	-	-
Vinyl Fluoride	1	1	-	2	-	-	-	-
Vinylidene Chloride	1	-	-	-	-	-	-	-
Vinylpyridine	1	-	-	-	-	-	-	-
VV-H-910	1	1	1	1	1	3	2	2

GUIDE ONLY

1 - recommended 2 - probably satisfactory 3 - marginal 4 - not recommended