

'O' RING FLUID COMPATIBILITY GUIDE - G's

| CHEMICAL/ MEDIA | PERFLUORO - ELASTOMER | VITON® ETP | AFLAS® TFE/P | VITON® FKM | EPDM P.C. | BUNA-N NBR | SILICONE | FLUORO- SILICONE |
|--------------------------------|--------------------------|---------------|-----------------|---------------|--------------|---------------|----------|---------------------|
| GALDEN | 4 | 2 | 2 | 1 | - | - | - | - |
| Gallic Acid | 1 | 1 | 1 | 1 | 2 | 2 | - | 1 |
| Gasoline | 1 | 1 | 2 | 1 | 4 | 1 | 4 | 1 |
| Germanium Tetrahydride | 1 | - | - | - | - | - | - | - |
| Glauber's Salt | 1 | 1 | 1 | 1 | 2 | 4 | - | 1 |
| Gluconic Acid | 1 | - | - | - | - | - | - | - |
| Glucose | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Glutamic Acid | 1 | - | - | - | - | - | - | - |
| Glycerol | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Glycerophos- phoric Acid | 1 | - | - | - | - | - | - | - |
| Glycidol | 1 | - | - | - | - | - | - | - |
| Glycols | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Green Sulfate Liquor | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 2 |
| GULF ENDURANCE OILS | 1 | 1 | 1 | 1 | 4 | 1 | 4 | 1 |

GUIDE ONLY

1 - recommended 2 - probably satisfactory 3 - marginal 4 - not recommended