

'O' RING FLUID COMPATIBILITY GUIDE - R's

CHEMICAL/ MEDIA	PERFLUORO - ELASTOMER	VITON [®] ETP	AFLAS [®] TFE/P	VITON [®] FKM	EPDM P.C.	BUNA-N NBR	SILICONE	FLUORO- SILICONE
Radiation	2	4	1	4	1	3	2	4
Raffinate	1	-	-	-	-	-	-	-
Rapeseed Oil	1	1	1	1	1	2	4	1
RED LINE 100 OIL	1	1	1	1	4	1	4	1
Resorcinol	1	1	1	1	4	4	-	-
Rhodium	1	-	-	-	-	-	-	-
Riboflavin	1	-	-	-	-	-	-	-
Ricinoleic Acid	1	-	-	-	-	-	-	-
RJ-1 (MIL-F-25558)	1	1	1	1	4	1	4	1
RJ-4 (MIL-F-82522)	1	1	1	1	4	2	4	1
Rosin	1	-	-	-	-	-	-	-
RP-1 (MIL-R-25576)	1	1	1	1	4	1	4	1

GUIDE ONLY

1 - recommended 2 - probably satisfactory 3 - marginal 4 - not recommended